

2017 WHEEL CATALOG



LONG LIVE DETROIT





Our Original Steel Smoothie Wheel:

Available Sizes	Available Backspacing	Price Per Wheel
18" x 8"	3.25" - 4.75"	\$254.00
20″ x 8″	2.75" - 4.75"	\$260.00
20″ x 9″	3.0" - 6.0"	\$263.00
20" x 11"	3.25" - 7.50"	\$293.00
20" x 14"	3.25" - 9.75"	\$360.00
22″ x 9″	3.0", 3.5", 4.0", 4.5"	\$285.00

Available Lug Patterns: 5x4.5; 5x4.75; 5x5; 5x5.5; 6x5.5



22" x 9" Gloss Black

20" x 8" Low Gloss White

18" x 8" Gloss Black



Our Steel Artillery Wheel:

Available Sizes	Available Backspacing	Price Per Wheel
18" x 8"	3.25" - 4.75"	\$279.00
20″ x 8″	2.75" - 4.75"	\$285.00
20″ x 9″	3.0" - 6.0"	\$288.00
20" x 11"	3.25" - 7.50"	\$318.00
20" x 14"	3.25" - 9.75"	\$385.00
22″ x 9″	3.0", 3.5", 4.0", 4.5"	\$310.00

Available Lug Patterns: 5x4.5; 5x4.75; 5x5; 5x5.5; 6x5.5



Wheel Options



810.333.6100

Detroit Steel Wheels can be purchased raw or powder coated.

Powder Coat: \$35.00 per wheel / \$140.00 per set

The Powder Coat process includes:

- Wheel Prep
- Aquence Dip / A-Coat (rust preventative)
- Powder Coat

Stock Colors:



Raw Steel



Gloss White

Low Gloss White

Low Gloss Black

Gloss Black



810.333.6100

7.5" Snap-in Caps for Smoothie Wheels



Plain Rallye \$20 each



Shannon Cone \$34 each



Baby Moons \$15 each



Spider Cap \$40 each *Not available in 6x5.5



Push Through Bullet

\$8 each *5x4.5 and 5x4.75 only



Bullet Lug Nuts \$1.25 each * 1/2 or 7/16th thread only

Wheel Accessories



810.333.6100



Trim Rings

18" & 20"

Polished Stainless Steel—Made in the USA

\$60.00 each

*22" Trim Rings COMING SOON!



Bullet Valve Stem Cover \$3.00 each



50 Mercury Dog Dish Cap

\$30 each

*Cap requires wheels to be drilled and screws installed.



Chevy Dog Dish Cap

\$30 each

*Cap requires wheels to be drilled and screws installed.



Mobsteel Wheel Clips Set

\$7.50 each

*each set includes 5 clips, enough for one wheel


Tap, Drill and Install Clips Service: If you have your own dog dish / poverty caps and are purchasing Steelies from Mobsteel, we can tap, drill and install clips in your Steelies for \$15.00 per wheel. ** Caps must measure between 9.25"—11"




EXAMPLE


Please note that a 5 lug is measured differently.


This is a common mistake.





Six Lug





- Will your new wheels clear your fender lip on the front and backside when you turn the steering wheel lock to lock?
- How far out does your hub stick out (cap fitment)?
- Do you want to be able to rotate your wheels?
- What other modifications have been made to the vehicle?

Ex: C-notch, tubbed, different chassis, different front or rear axles, narrowed axles, rolled fender lip, changed lug pattern, disc brake conversion, wheel spacers or adapters, etc..

White Wall & Specialty Tires



810.333.6100

Mobsteel / Detroit Steel Wheel, works closely with Diamond Back Classic Tires, a leading white wall & specialty tire producer for 18", 20" and 22" wheels, made in the U.S.A.

Because of this strong relationship, Mobsteel / Detroit Steel Wheel is proud to provide our customers with quality products at a discounted rate. Call us at the shop at 810.333.6100 to have our team provide you a quote and to assist you with tire options.

Featuring 18", 20" and 22" in:

- White Walls
- Redlines
- Bluelines
- Goldlines

** Prices on pages to follow are Diamond Back Classic Tire retail prices, contact Mobsteel for our pricing.



Mounting & Balancing: Tires ordered through Mobsteel / Detroit Steel Wheels are shipped direct from Diamond Back Classic Tires in South Carolina. Our Steelies will come direct from Detroit MI. Customer is responsible for having their tires mounted and balanced locally.

White Wall & Specialty Tires



810.333.6100

Prices reflect retail pricing — contact us today for a custom quote!

225/45R17 24.9 1½ 8 8.7 94V 7 8½ 5249 235/45R17 25.2 1½ 8.4 9.1 97V 7½ 9 5259 455/45R17 25.6 1½ 8.6 9.4 95W 7½ 9 5259 005/50R17 25.1 1½ 7 8.2 93V 5½ 7 5239 255/50R17 25.5 1¼ 7.5 8.7 95V 6 7½ 5249 255/50R17 26.7 2 8 9 95V 6 8 5259 155/50R17 26.7 2 8 9 95V 6 8 5269 155/50R17 26.7 2 8 9 95V 6 8 5269 155/50R17 26.7 2 8 9 95V 6 8 5269 155/50R18 25.1 1½ 8.5 10 92V 7½ 9 5259 255/50R18 25.1 1½ 9.5 9.7½ 52	Diamon	d Back HI	> 17"-18"-20"-22'
APP A	Tow	o Extensa HP	- "V" & "W" Speed Pating
Mary Sizes For Selection Urgs Urgs Urgs	NEW	o Extensa m	
11 14 14 1	The second secon	0	Lots of Big-Little Combo
11 14 14 1	the the star	ARA OL R. PORTA	Many Sizes For Selection
113/45R17 246 1% 7.8 29/14 7.8 52/39 125/45R17 25.6 1% 8.4 9.1 9/14 5.2 29 253/45R17 25.6 1% 8.6 9.4 950 7/5.9 52.9 255/50R17 25.5 1% 7.5 8.7 95V 67/5 52.9 255/50R17 25.5 1% 7.5 8.7 95V 68 5259 255/50R17 25.5 1% 7.5 8.7 95V 68 5259 255/50R17 26.7 2 8 9 95V 68 5259 255/50R17 26.7 2 8 9 95V 68 5259 255/50R17 26.7 2 8 9 95V 68 5269 255/60R17 26.7 1% 8.5 10 98W 8/6 - 10 52/9 255/50R18 25.1 1% 8.5 10 98W 8/6 - 10 52/9 255/60R18 25.7 1% 9.6	they want want	the the to be an we	
225/45R17 249 1½ 8 8.7 94V 7.8 5249 235/45R17 252 1½ 8.4 91 97V 7½-9 5259 45/45R17 25.6 1½ 8.6 9.4 95W 7½-9 5259 915/50R17 25.5 1½ 7.8 8.7 95V 6-7½ 5249 255/50R17 25.5 1½ 7.8 8.7 95V 6-7½ 5249 255/50R17 25.9 1½ 7.9 8.9 95V 6-8 5259 255/50R17 27.2 2½ 8.3 9.6 99W 6/5-85 5269 255/50R17 27.2 2½ 8.3 9.6 99W 6/5-85 5279 255/50R18 25.5 1½ 8.7 9.2V 7½-9 5279 255/50R18 25.1 1½ 7.4 9.4 95V 5279 255/50R18 25.7 1½ 8.2 96 100V 7½-9 5279 255/50R18 25.7 1½ 8.2 96 <td>215/45R17 24.6 1%</td> <td>7.7 8.2 910 7-8 \$239</td> <td></td>	215/45R17 24.6 1%	7.7 8.2 910 7-8 \$239	
45.455R17 25.6 144 8.6 9.4 95.0% 7.6 9 52.69 105/50R17 25.5 144 7.5 8.7 95.0% 6.7% 52.99 25/550R17 25.5 144 7.5 8.7 95.0% 6.7% 52.99 25/550R17 25.5 144 7.5 8.7 95.0% 6.7% 52.99 25/550R17 26.3 144 7.5 8.7 95.0% 6.7% 52.99 25/550R17 26.2 2.8 9 950 68 52.99 25/550R17 27.2 248 3.9 99.0% 68 52.99 25/550R17 27.2 248 3.9 99.0% 68 52.99 25/550R18 25.1 146 8.5 10 99.0% 8.94 52.99 25/550R18 25.1 144 9.4 9.9 9.27 7.6 9.279 25/550R18 25.7 144 9.4 9.9 9.27 9.27 9.27 25/550R18 26.7 144 <td>225/45R17 24.9 11/2 1</td> <td>8 8.7 94V 7 - 81/2 \$249</td> <td></td>	225/45R17 24.9 11/2 1	8 8.7 94V 7 - 81/2 \$249	
05/50R17 25.1 11/6 7 8.2 93V 51/6 7 \$239 115/50R17 25.5 11/4 7.5 8.7 95V 6 7/5 \$249 255/50R17 25.5 11/4 7.5 8.7 93V 6 8 259 05/55R17 05/55R17 05/7 2.3 19/4 7.5 8.7 93V 6 8 259 05/55R17 05/7 2.4 8 9 95V 6 8 259 05/55R17 2.6.7 2 8 9 95V 6 8 259 05/55R17 2.6.7 2 8 9 95V 6 8 2509 05/55R17 2.6.7 14/8 8.6 10 92V 7/2 9 52/9 25/40R18 25.1 11/4 7.5 8.9 92V 7/2 9 52/9 25/40R18 25.1 11/4 7.5 8.9 92V 7/2 9 52/9 25/50R18 2.6.7 <	235/45R17 25.2 11/2 1	8.4 9.1 97V 71/2-9 \$259	
11:15/50R17 25.5 144 7.5 8.7 95V 6 - 7½ \$249 12:55/50R17 25.9 144 7.9 8.9 93V 6 - 8 \$259 13:55/50R17 25.9 144 7.5 8.7 93V 6 - 7½ \$249 12:55/50R17 26.3 144 7.5 8.7 93V 6 - 7½ \$249 12:55/50R17 26.7 2 8 9 95V 6 - 8 \$259 12:55/50R17 26.7 2 8 9 95V 6 - 8 \$259 12:55/50R17 25.1 14 8.5 10 98W 8½ - 10 \$284 15:55/50R18 25.1 14 9.4 9.4 9.9W 9.11 \$289 25:40R18 25.1 144 7.5 8.9 9.2V 7½ - 9 \$259 25:40R18 25.1 14 9.4 9.4 9.9 % 8.9½ \$279 25:5/50R18 26.7 14 8.9 9.9 % 6.8 \$269 25:5/50R18 27.1	245/45R17 25.6 13/4 1	8.6 9.4 95W 71/2 - 9 \$269	
11:15/50R17 25.5 144 7.5 8.7 95V 6 - 7½ \$249 12:55/50R17 25.9 144 7.9 8.9 93V 6 - 8 \$259 13:55/50R17 25.9 144 7.5 8.7 93V 6 - 7½ \$249 12:55/50R17 26.3 144 7.5 8.7 93V 6 - 7½ \$249 12:55/50R17 26.7 2 8 9 95V 6 - 8 \$259 12:55/50R17 26.7 2 8 9 95V 6 - 8 \$259 12:55/50R17 25.1 14 8.5 10 98W 8½ - 10 \$284 15:55/50R18 25.1 14 9.4 9.4 9.9W 9.11 \$289 25:40R18 25.1 144 7.5 8.9 9.2V 7½ - 9 \$259 25:40R18 25.1 14 9.4 9.4 9.9 % 8.9½ \$279 25:5/50R18 26.7 14 8.9 9.9 % 6.8 \$269 25:5/50R18 27.1			
225/50R17 25.9 134 7.9 8.9 9.34 6.8 5259 235/50R17 105/55R17 14 7.5 8.7 9.34 6.7/4 \$249 25/55R17 26.3 1.94 7.5 8.7 9.95V 6.8 5259 235/55R17 26.7 2 8 9 95V 6.8 5259 25/55R17 27.2 2/4 8.3 9.6 99W 6/2-8/2 5269 55/35R18 25 1/4 8.5 10 98W 8/2-10 52/9 25/35R18 25.1 1/4 8.6 10 92V 7/6-9 5259 25/40R18 25.1 1/4 9.4 95V 89½ 5269 25/40R18 25.1 1/4 9.4 95V 89½ 5279 25/40R18 25.1 1/4 9.4 95V 89½ 5279 25/45R18 27 13/6 9.6 9.9W 6.8 5269 25/50R18 26.9 13/4 7.9 8.9 9.4		7 8.2 93∨ 5½ - 7 \$239	
335/50R17 105/55R17 115/55R17 125/55R17 125/55R17 125/55R17 125/55R17 127/2 18 19 19 11 18 19 111 111 111 111 111 111 111 111 111 111 111 111 111 111 111 111 111 111 111	interesting and the second s	and some statement of the	
005/55R17 115/55R17 26.3 134 7.5 8.7 9.3V 671/5 \$249 125/55R17 26.7 2 8 9 95V 68 \$259 125/55R17 27.2 21/8 8.3 9.6 99W 6/6-8 \$259 125/55R17 27.2 21/8 8.3 9.6 99W 6/6-8 \$259 125/57R17 27.2 21/8 8.3 9.6 99W 6/6-8 \$259 125/57R17 22.11/8 8.5 10 98W 8/6-10 \$284 18" Sizes 101/99W 9-11 \$228 \$259 \$279 \$255 25/40R18 25.1 11/4 9.4 9.4 \$279 \$279 35/40R18 25.7 136 9.6 9.6 \$279 \$279 35/45R18 26.7 136 8.2 9.6 100W 7/8-9 \$279 35/55R18 26.7 136 8.9.4 101W 6/6-8 \$269 35/55R18 26.6 7/8 8.9.4<		7.9 8.9 93V 6-8 \$259	
15/55R17 26.3 14/4 7.5 8.7 9.3V 6.7 ½ \$249 25/55R17 26.7 2 8 9 95V 6.8 \$259 25/55R17 27.2 21/4 8.3 9.6 99W 6/4-8/5 \$269 255/40R17 25 11/4 8.5 10 98W 8/2-10 \$284 18" Sizes 18" Sizes 11/4 9.3 107.99W 9-11 \$289 25/35R18 25.5 11/4 9.3 107.99W 9-11 \$289 25/40R18 25.1 11/4 9.4 95V 8-9½ \$279 25/40R18 25.1 11/4 9.4 95V 8-9½ \$279 25/40R18 25.1 11/4 9.4 95V 8-9½ \$279 25/40R18 25.1 11/4 9.4 90W 7/2-9 \$279 25/50R18 26.7 19/4 8.9 99W 6-8 \$269 25/50R18 26.6 7/4 8.9 99W 6-8 \$269			
225/55R17 267 2 8 9 959 6-8 \$259 235/55R17 2/2 2/4 8.3 9.6 99W 6/6-8/5 \$269 255/55R17 2/2 2/4 8.3 9.6 99W 6/6-8/5 \$269 255/55R17 2/2 1/4 8.6 10 93W 8/6 - 10 \$289 255/55R18 2/5 1/4 8.6 10 93V 8/6 - 10 \$279 255/55R18 2/5 1/4 9.3 107 99W 9-11 \$289 255/57818 2/5 1/4 9.4 9.1 9208 \$279 25/40R18 2/5.1 1/4 9.4 9.4 9.4 \$259 25/40R18 2/5.1 1/4 9.4 9.4 \$9.9 \$279 25/40R18 2/7 1/4 9.6 9.6 9.9 \$279 25/50R18 2/6 1/4 8.9 9.9 \$269 25/50R18 2/6 1/4 8.9 9.9 \$269 25/50R18		75 97 934 / 714 6349	
335/55R17 27.2 21% 8.3 9.6 99W 6½-8½ \$269 55/50R17 25 11% 8.5 10 98W 8½-10 \$229 55/53R18 25 11% 8.6 10 93V 8½-10 \$2/9 75/53R18 25.5 11% 9.3 107 99W 9-11 \$289 725/40R18 25.1 11% 7.5 8.9 92V 7½-9 \$259 725/40R18 25.1 11% 7.5 8.9 92V 7½-9 \$259 725/40R18 25.1 11% 7.4 9.4 95V 8-9½ \$279 735/40R18 25.7 13% 9.6 9.6 99W 8-9½ \$279 755/50R18 267 13% 8.9 90W 6-8 \$269 745/55R18 271 13% 8 9.4 100W 6½-8½ \$299 75/55R18 26.6 7½ 8.9 9.0 10 10.0V 7-8½ \$284 25/557818 26.6	and the second		
25/40R17 25 1½ 8.5 10 98W 8½ - 10 5284 25/35R18 25 1¼ 8.6 10 93V 8½ - 10 52/9 725/35R18 25.5 1¼ 9.3 10/99W 9-11 5289 25/40R18 25.1 1¼ 7.5 8.9 92V 7½ - 9 5259 25/40R18 25.1 1¼ 9.4 95V 8.9½ 5259 25/40R18 25.1 1¼ 9.4 95V 8.9½ 5279 25/40R18 25.7 1% 9.6 99W 6.8 5269 25/50R18 27.7 1% 9 10.3 103W 8.9½ 5279 25/50R18 27.7 1% 9 10.3 103W 8.9½ 5284 25/50R18 27.7 1% 8 9.4 100W 6%-8 5269 25/50R18 2.6.2 1% 8.9.4 100W 6%-8 5269 25/50R18 2.6.2 1% 8.9.4 10.00V 7.8.5 5249 <td>and the second se</td> <td></td> <td></td>	and the second se		
18" Sizes 25/35R18 25 1¼ 8.6 10 93V 8½ - 10 \$2/9 25/35R18 25.5 1¼ 9.3 10/99W 9 - 11 \$289 25/40R18 25.1 1¼ 9.4 9.5V 8 - 9½ \$259 25/40R18 25.1 1¼ 9.4 9.5V 8 - 9½ \$229 25/40R18 25.1 1¼ 9.4 9.5V 8 - 9½ \$229 25/40R18 25.7 1% 9.6 9.6 9.9W 8 - 9½ \$279 25/40R18 25.7 1% 9.6 9.6 9.9W 8 - 9½ \$279 25/45R18 27.7 1% 9 10.3 10.3W 8 - 9½ \$289 25/50R18 26.9 1% 4.5 10 10.2V 7 - 8½ \$284 Los filts 10 10.2V 7 - 8½ \$269 55/35R20 26.9 % 10 9.7W 8½ - 10 \$274 1/5/50R18 26.9 % 10.9 \$2750 \$289 </td <td>255551011 272 270</td> <td>0.5 7.0 771 072 072 0207</td> <td></td>	255551011 272 270	0.5 7.0 771 072 072 0207	
$\frac{55/35R18}{25/35R18} \frac{25}{25} \frac{114}{9} \frac{86}{93} \frac{10}{99W} \frac{9}{9} - 11}{9} \frac{5279}{259}$ $\frac{25/40R18}{25.5} \frac{25.1}{14} \frac{14}{9.3} \frac{7}{9.4} \frac{8}{9.9} \frac{92V}{9} \frac{712-9}{9} \frac{5259}{259}$ $\frac{25/40R18}{25.7} \frac{25.1}{14} \frac{114}{9.4} \frac{7}{9.4} \frac{8}{9.5} \frac{92V}{9} \frac{712-9}{9} \frac{5259}{279}$ $\frac{25/45R18}{25.7} \frac{714}{9.6} \frac{9}{9.6} \frac{9}{9W} \frac{8}{8} - 9\frac{12}{9} \frac{5279}{579}$ $\frac{25/50R18}{25.7} \frac{26.7}{14} \frac{14}{9} \frac{8.9}{103} \frac{90W}{103} \frac{6}{8} \frac{8}{5}769}{103} \frac{5279}{55}$ $\frac{25/50R18}{27.7} \frac{26.9}{14} \frac{134}{7.9} \frac{8.9}{8.9} \frac{99W}{8} \frac{6}{8} \frac{8}{5}769}{55/35R18} \frac{27}{26} \frac{134}{8} \frac{7.9}{8} \frac{8.9}{9W} \frac{6}{6} \frac{8}{8} \frac{5}{2}799}{\frac{145}{55}75R18} \frac{26.7}{26} \frac{134}{8} \frac{7.9}{8} \frac{8.9}{10} \frac{9}{103} \frac{1}{10} \frac{1}{7} \frac{4}{8} \frac{9}{8} \frac{9}{100} \frac{1}{10} \frac{1}{7} \frac{1}{8} \frac{1}{8} \frac{1}{8} \frac{1}{10} \frac{1}{10} \frac{1}{10} \frac{1}{7} \frac{1}{8} \frac{1}{10} $			
75/33R18 25.5 11/4 9.3 107 99W 9-11 \$289 75/33R18 25.1 11/4 7.5 8.9 92V 7½-9 \$259 235/40R18 25.1 11/4 9.4 9.5V 8-9½ \$269 235/40R18 25.7 1% 9.6 9.6 9.9W 8-9½ \$279 235/40R18 25.7 1% 9.6 9.6 9.9W 8-9½ \$279 235/45R18 7 1% 9 103 103/W 8-9½ \$279 255/50R18 26.7 1% 8.2 9.6 100/W 7½-9 \$279 25/50R18 26.9 1% 7.9 8.9 99W 6-8 \$269 25/50R18 26.9 1% 7.9 8.9 99W 6-8 \$269 25/50R18 26.6 7% 8.9 9.4 100/W 6½-8% \$299 25/50R18 26.6 7% 8.9 9.4 100/W 1% 1% 45/55R18 26.6 7% 8.			
225/40R18 25.1 11/4 7.5 8.9 92V 7½ 9 \$259 235/40R18 25.4 11/4 9.4 9.4 95V 8-9½ \$269 235/40R18 25.7 13/6 9.6 9.6 99W 8-9½ \$279 235/45R18 25.7 13/6 9.6 9.6 99W 8-9½ \$279 235/45R18 26.7 13/6 8.2 9.6 100W 7½ 9 \$279 255/45R18 26.7 13/6 8.2 9.6 100W 7½ 9 \$279 25/50R18 26.7 13/6 9.9 68 \$269 25/50R18 27.2 13/4 8 9.4 101W 6½ 8/2 \$299 25/50R18 27.2 13/4 8 9.4 101W 6½ 8/2 \$299 25/50R18 26.6 7% 9.5 9.5V 8 9½ \$269 45/55R18 26.6 7% 9.5 9.5V 8 9½ \$269 <t< td=""><td></td><td></td><td></td></t<>			
235/40R18 25.4 11/4 9.4 9.4 95V 8 - 9½ \$269 45/40R18 25.7 1% 9.6 9.6 99W 8 - 9½ \$279 235/45R18 18 10.0 7½ - 9 \$279 \$259 25/50R18 26.7 1% 8.2 9.6 100w 7½ - 9 \$279 25/50R18 27.7 1% 9 10.3 103w 8 - 9½ \$289 25/50R18 26.7 1% 8.9 9.9W 6 - 8 \$269 35/50R18 27.2 1% 8 9.4 100W 6/6 - 8% \$269 35/50R18 27.2 1% 8 9.4 100W 6/6 - 8% \$269 35/50R18 26.6 7% 8.9 9.9W 6/6 - 8% \$269 25/53R20 26.8 7% 9.5 9.5V 8 - 9½ \$269 25/53SR20 26.9 7% 10 9.7W 8½ - 10 \$279 22" Sizes 22" Sizes Kore Possible Combinations	275/35R18 25.5 11/4 9	9.3 10/99W 9-11 \$289	
235/40R18 25.4 11/4 9.4 9.4 95V 8 - 9½ \$269 45/40R18 25.7 1% 9.6 9.6 99W 8 - 9½ \$279 235/45R18 18 10.0 7½ - 9 \$279 \$259 25/50R18 26.7 1% 8.2 9.6 100w 7½ - 9 \$279 25/50R18 27.7 1% 9 10.3 103w 8 - 9½ \$289 25/50R18 26.7 1% 8.9 9.9W 6 - 8 \$269 35/50R18 27.2 1% 8 9.4 100W 6/6 - 8% \$269 35/50R18 27.2 1% 8 9.4 100W 6/6 - 8% \$269 35/50R18 26.6 7% 8.9 9.9W 6/6 - 8% \$269 25/53R20 26.8 7% 9.5 9.5V 8 - 9½ \$269 25/53SR20 26.9 7% 10 9.7W 8½ - 10 \$279 22" Sizes 22" Sizes Kore Possible Combinations	225/40818 251 11/1	75 99 97 76 9 8759	
445/40R18 25.7 134 9.6 9.6 99W 8 - 9½ \$279 335/45R18			
M5/45R18 26.7 1% 8.2 96 100w 7½ - 9 \$279 955/45R18 77 1% 9 103 103w 8 - 9½ \$289 25/50R18 26.9 1% 7.9 8.9 99w 6 - 8 \$769 35/50R18 27.2 1% 8 9.4 101w 6½ - 8½ \$279 M5/55R18 28.6 7½ 8.5 10 102v 7 - 8½ \$284 D2" Sizes M5/35R20 26.8 76 9.9 8 - 9½ \$269 255/35R20 26.9 76 10 97.V 8½ - 10 \$271 M5/45/40R20 27.7 1% 9.6 99.W 8½ - 10 \$274 22" Sizes 22" Sizes 82 900 8½ - 10 \$274			
M5/45R18 26.7 1% 8.2 96 100w 7½ - 9 \$279 955/45R18 77 1% 9 103 103w 8 - 9½ \$289 25/50R18 26.9 1% 7.9 8.9 99w 6 - 8 \$769 35/50R18 27.2 1% 8 9.4 101w 6½ - 8½ \$279 M5/55R18 28.6 7½ 8.5 10 102v 7 - 8½ \$284 D2" Sizes M5/35R20 26.8 76 9.9 8 - 9½ \$269 255/35R20 26.9 76 10 97.V 8½ - 10 \$271 M5/45/40R20 27.7 1% 9.6 99.W 8½ - 10 \$274 22" Sizes 22" Sizes 82 900 8½ - 10 \$274	1.		
255/45R18 27 134 9 103 103w 8 - 9½ \$289 255/50R18 26.9 134 7.9 8.9 99W 6 - 8 \$269 255/50R18 27.2 134 8 9.4 101W 6½-8½ \$299 255/50R18 27.2 134 8 9.4 101W 6½-8½ \$299 245/55R18 28.6 21½ 8.5 10 102V 7.8½ \$284 D0" Sizes May 5 9.5 8 - 9½ \$269 255/35R20 26.8 36 9.5 9.5V 8 - 9½ \$269 255/35R20 26.9 74 10 9.7W 8½ - 10 \$229 22" Sizes 22" Sizes 8 9.5 9.5V 8 - 9½ \$269 Larger and Wider 1T' 18' - 20' - 22'	235/45R18		
25/50R18 26.9 134 7.9 8.9 99W 6-8 \$269 35/50R18 27.2 134 8 9.4 101W 662-862 \$299 45/55R18 28.6 214 8.5 10 102V 7-812 \$284 20" Sizes 20" Sizes 20" Sizes 20" Sizes 20" Sizes 20" Sizes 22" Sizes 22" Sizes	and the second se		
235/50R18 27.2 1¾ 8 9.4 101W 6/2-8/2 \$299 245/55R18 28.6 2¼ 8.5 10 102V 7 - 8½ \$284 20" Sizes Matrix Attribution of the state of the	255/45R18 27 134 9	9 103 103w 8-9½ \$289	
235/50R18 27.2 1¾ 8 9.4 101W 6/2-8/2 \$299 245/55R18 28.6 2¼ 8.5 10 102V 7 - 8½ \$284 20" Sizes Matrix Attribution of the state of the	225/500 10 22 0 120	70 00 000 / 0 0000	
145/35R18 28.6 21/4 8.5 10 102/v 7 - 81/2 \$284 20" Sizes Mage: State Sta	Contraction of the local distance of the loc		
20" Sizes 10" Sizes			
Image: Property of the state of the sta	Contraction of the second s		
245/35R20 26.8 74 9.5 95V 8 - 9½ \$269 255/35R20 26.9 74 10 97W 8½ - 10 \$274 245/40R20 27.7 1½ 9.6 99W 8½ - 10 \$289 More Possible Combinations Larger and Wider 17* 18* 20* 22*	£	at a state	
255/35R20 26.9 7k 10 97W 8½ - 10 \$274 245/40R20 27.7 1½ 9.6 99W 8½ - 10 \$289 Larger and Wider 17" 18" • 20" • 22"	HEAL WOLL	Gibt gibt strand get	
More Possible Combinations 22" Sizes Kore Possible Combinations	245/35R20 26.8 3%	9.5 95V 8-9½ \$269	
22" Sizes Larger and Wider 17"• 18"• 20"• 22"	255/35R20 26.9 7/8	10 97W 81/2 - 10 \$274	
			More Possible Combinations
265/35R22 29.4 11% 10.5 102V 9 - 10½ \$298 Same Brand_ Compatible Tread Style			
	265/35R22 29.4 11/8	10.5 102V 9 - 10½ \$298	Same Brand_ Compatible Tread Style

White Wall & Specialty Tires



Prices reflect retail pricing — contact us today for a custom quote!

810.333.6100

Ultra High Performance 17"-18"-20" Our Highest Rated Tire - "W" - 168 mph and "Y" - 186 mph rated All Tires are Extra-Load State of Carl statut The Best UTQG Rating 560 AA 17" Sizes Toyo Proxes 4 Plus 205/50R17 25.1 11/2 8.5 93W 51/2-71/2 \$264 No Mileage Sacrifice 6-71/2 215/50R17 25.4 13/4 9.6 95W \$269 For Performance 215/45R17 24.6 13% 8.4 91W 7-8 \$264 Better cornering 225/45R17 25 11/2 8.9 94W 7-81/2 \$274 Enhanced braking performance 25.3 11/2 \$284 235/45R17 9.5 97W 71/2-9 Protection from hydroplaning 245/45R17 25.8 13/4 9.8 99W 71/2-9 \$294 Quicker steering response 235/50R17 26.3 11/2 9.8 100W 61/2 - 81/2 \$289 13/4 10.9 98W 275/40R17 25.7 9-11 \$299 18" Sizes 11/4 9.1 92 71/2-9 225/40R18 25.1 \$274 235/40R18 25.3 11/4 9.6 95 8-91/2 \$289 245/40R18 25.7 1% 9.8 97 8-91/2 \$294 255/40R18 25.9 11/2 10.2 81/2 - 10 \$299 99 275/35R18 25.6 13% 10.8 99.4 9-11 \$319 91/2 - 11 285/35R18 26 13% 11.6 101 \$329 11/4 25.5 8.6 7-8 215/45R18 93W \$274 225/45R18 25.9 11/2 95W 7-81/2 \$284 9 71/2-9 235/45R18 26.2 11/2 9.8 98W \$299 245/45R18 26.6 13/4 9.7 100W 8-91/2 \$299 1% 255/45R18 26.9 10.2 103 8-91/2 \$309 225/50R18 26.9 15% 9.2 95W 6-8 \$299 235/50R18 27.2 13/4 9.7 101 61/2-81/2 \$299 Some 19" Sizes Available 20" Sizes 295/30R20 27 7/1 11.9 10IY 10-11 \$259 245/35R20 26.8 7/8 9.8 95W 8-91/2 \$289 255/35R20 27.1 10 97Y 81/2 - 10 . \$299 11/8 275/35R20 27.6 10.9 102Y 9-11 \$329 315/35R20 28.7 1% 12.6 110Y 101/2-121/2 \$349 27.7 11/1 9.8 99W 8-91/2 \$319 245/40R20 28.7 15% 275/40R20 10.9 106Y 9-11 \$339 245/45R20 28.7 15% 9.6 103Y 71/2-9 \$309 Rim Courtesy of Mobsteel 255/45R20 29.1 13/4 10 105Y 8-91/2 \$319 www.mobsteel.com

White Wall & Specialty Tires



810.333.6100

Prices reflect retail pricing — contact us today for a custom quote!

	D	a	Ш	0	n	d Ba	ick –	- N	itto	s Bi	ran	d
Ex	tru	en	ıe	ρe	r	form	ance	- ;	17"	- 18	3‴ -	20″
NIT					-		ed Rated					
				,					579.19	nen -	'EV	SIZES!
THESTE	JEGY	E		s Strag	<i>S</i>	Pet abri	ANS CE		N			
			17" S	Sizes					KI4	E	1	
235/45R17	25.3	44	8.5	9.3	93	71/2-9	\$274	4	YIG	- /	1	
245/45R17	25.7	35	8.7	9.6	89	71/2-9	\$284	1	119-	- //		
255/45R17	26	35	9	10.1	92	8-9½	\$289	Y	12-			
255/50R17	27.1	35	9.5	10.4	101	7-9	\$289	AV/	1-		1	
275/40R17	25.6	44	10	11.2	101	9-11	\$294	SIL	1-		0	
285/40R17	26	35	10.2	11.4	95	9-11	\$319	NH.	-		0.0	0
315/35R17	25.6	44	11.3	12.5	101	101/2-121/2	\$339	SI	1		U	
		Sma	aller 1	18" S	izes						5.4	· • /
225/40R18	25.2	44	8	9.2	92	71/2-9	\$284	211	1-			
235/40R18	25.5	50	8.5	9.5	91	8-91/2	\$294	116	10-			
245/40R18	25.7	50	8.7	9.7	93	8-91/2	\$299	12	MART.			
225/45R18	26	44	8	8.9	95	7-8	\$294	1	1RF			
245/45R18	26.6	50	8.6	9.7	100	71/2 - 9	\$309		2110			
255/45R18	27	44	8.8	10.2	100	8-91/2	\$319		and the	Sec.		
275/40R18	26.6	50	9.8	10.9	103	9-11	\$314					
285/40R18	27	44	10.3	11.4	101	9½-11	\$349	NT55	5 "W" S	peed F	lated	
	Wid	ler -	Larg	er 18	" Si	zes						a-high perform-
255/35R18		44	9	10.1	90	81⁄2 - 10						ormance driver in patches available
265/35R18		44	9.5	10.5	93	9 - 101⁄2	\$324 #	he NT5	55 provide	s superior	traction	and reliable han-
275/35R18		44	9.7	10.9	95	9-11	¢229 d					th tread pattern
285/35R18	25.9	44	9.9	11.3	97	9½-11	\$369 T	na con The hiat	hily rigid tre	ad blocks	200 for a provide s	ry performance. stability while pro-
295/45R18	28.3	50	10.3	11.5	110	9½-11	\$359 0	onging	the life of the	he tire. Th	e NT555	will get you off straights and
235/50R18	27.3	50	8.5	9.5	100	61⁄2 - 81⁄2			nce in the o			
265/50R18						71/2-91/2					SIA	
				Sizes			-				SIL	
245/35R20	26.8	50	8.6	9.8	95	8-91/2	\$294				SIRE	
255/35R20		50	8.7	9.9	97	81⁄2 - 10	e20.4	llos	n Availa	ble	SIZE	
265/35R20			9.5	10.7		9 - 101/2	\$329				SILE	
275/35R20		50	9.7	10.9		9 - 11	\$344	in Si	mall W	nite	ME	
	277	50	8.4	9.76	99	8 - 91/2	\$298				10	
245/40R20	11.1											
245/40R20 255/45R20		44	8.9		101	8-91/2	\$309	Plane	check film	ant and d		before ordering.

White Wall & Specialty Tires



810.333.6100

Prices reflect retail pricing — contact us today for a custom quote!



www.mobsteel.com

White Wall & Specialty Tires



810.333.6100

Prices reflect retail pricing — contact us today for a custom quote!

Diamond Back 17"-18"-20"-22"														
Larg	Larger Sizes Toyo Proxes ST II													
All Sizes Rated Fo			"V" Speed Rated - 149 mph											
Made in UTQG 420 AA the USA														
NE			More Possible Combinations 17" - 18" Same Brand Compatible Tread Style											
ME THE MARK HOT STOLEN AND AND AND AND AND AND AND AND AND AN														
4850					20)" Siz	es							
114.	109	/	315/35R20	28.6	1%	12.2	110	10½-12	\$339					
11.02		/	255/40R20	28	11/8	10	101	81⁄2 - 10	\$299					
111112		, 	275/40R20	28.7	1½	10.7	106	9 - 11	\$299					
1115	21000		295/40R20	29.3	13⁄4	11.7	106	10 - 11½	\$299					
	1		255/45R20	29	13⁄4	9.9	105	8 - 9½	\$289					
			265/45R20		13⁄4	10.2	108	8½ - 10	\$299					
	~	Pat	275/45R20		2	10.6		81⁄2 - 10	\$289					
THE SEE RESAR WHIT	ALAST LESS R	RATE PROT	295/45R20	30.4	21⁄u	11.6	114	9½ - 11	\$299					
1	7" Sizes		245/50R20	29.7	2	10	102	7-8½	\$299					
255/60R17 29 21/2	10.1 110 7.	-9 \$284	255/50R20	30	2	10.2	109	7-9	\$299					
29/4	Wider White	\$289	265/50R20	30.4	21/8	10.8	III	71⁄2-91⁄2	\$299					
275/60R17 30 3	10.8 110 7½	-91⁄2 \$294	285/50R20	31.2	2%	11.4	116	8 - 10	\$299					
31/4	Wider White	\$299	305/50R20	32	21/8	12.1	120	8½-11	\$309					
285/60R17 30.4 3		-10 \$299			2	2" Si	zes							
31⁄4	Wider White	\$304	265/35R22	29.3	11/8	10.5	102	9 -10	\$319					
1	8" Sizes		285/35R22	29.8	1%	11.2	106W	9½ - 11	\$339					
255/45R18 27 13/4	9.8 99 8-	9½ \$289	255/40R22	30.3	11/2	10.5	106V	9 - 10½	\$329					
295/40R18 28.3 2	11.4 105 91⁄2		285/40R22	31	13/4	11.1	110V	9½ - 11	\$359					
255/50R18 28.1 2		-9 \$289	305/40R22	31.6	2	121	I I I V	10 - 12	\$319					
255/55R18 29 2¼		- 9 \$284	265/45R22		2	10.3	109V	8½ - 10	\$329					
21/2	Wider White	\$289	285/45R22		21/8		I I 1 V	9-101/2	\$319					
255/60R18 30 21/2		-9 \$294	305/45R22	32.8	2%	11.8	1187	9½-11½	\$319					
2% Wider White \$299 285/60R18 31.3 2% 11.3 11.6 8 - 10 \$299														
		10 \$299	Plea											
31/a Wider White \$309 No Returns or Exchanges.														





CONTACT US:

Phone: 810.333.6100

email: Info@mobsteel.com

www.detroitsteelwheel.com www.mobsteel.com

Brighton

Detroit

702 Advance Street

2121 W. Edsel Ford Freeway

Brighton MI 48116

Detroit MI 48208

The Mobsteel[®] brands proudly promote manufacturing in the U.S.A.

